



ELASTEC Landing Craft

This information and our technical advice - whether verbal, in writing or by way of trials - are given in good faith but without warranty. Elastec/American Marine holds the right to modify product specifications without notice.



Elastec manufactures a range of landing craft style aluminum boats that can be employed in a variety of roles such as fast response and supporting marine operations (oil spills, rescue, fire-fighting etc.) They are based on well proven designs from a reputable naval architect with years of experience. Stable high performance hulls that can be configured in a wide variety of ways. The open bow feature facilitates the transfer of equipment from land to water for a variety of applications.

The proven hull design can carry a range of loads and offers a large deck area combined with a bow ramp for ease of loading equipment from the shore. These aluminum landing craft are designed to operate in shallow or open water conditions. They can be fitted with a range of outboard motors.

Typical roles for these vessels include;

- Oil Spill Response
- Marine Debris Collection
- Dive Platform
- Navigation Aids
- Cargo Transportation
- Fire Fighting
- Water Taxi/Crew Boat
- Dam & Impoundment Maintenance
- Marine Research
- Movie Industry
- Law Enforcement
- Search & Rescue



Model	E18	E20	E23	E26C	E28	E32
Length	18ft 6in 5.7m	20ft 7in 6.3m	23ft 7m	26ft 9in 8.1m	28ft 1in 8.56m	31ft 6in 9.6m
Beam	7ft 3in 2.2m	8ft 1in 2.46m	8ft 1in 2.46m	7ft 4in 2.24m	8ft 1in 2.46m	10ft 4in 3.15m
Cargo Door	49in 1.24m	64in 1.62m	64in 1.62m	64in 1.62m	64in 1.62m	72in 1.82m
Max Cargo*	1,000 lb 454 kg	2,000 lb 907 kg	3,000 lb 1,360 kg	5,000 lb 2,268 kg	5,500 lb 2,495 kg	8,000 lb 3,629 kg

*Payload is based on even weight distribution and calm water.

Not: Length does not include outboard, jet or stern platform.

E26C will fit in a standard 40ft container.



Recommended Outboard Options

Boat Model	E18	E20	E26C	E28	E32
Suzuki 115hp Outboard	●	●	●		
Suzuki 140hp Outboard	●	●	●	●	●
Suzuki 140hp Outboard Twin			●	●	●
Suzuki 150hp Outboard		●	●	●	●
Suzuki 150hp Outboard Twin			●	●	●
Suzuki 175hp Outboard		●	●	●	●
Suzuki 175hp Outboard Twin				●	●
Suzuki 200hp Outboard		●	●	●	●
Suzuki 200hp Outboard Twin				●	●
Suzuki 225hp Outboard			●	●	●
Suzuki 225hp Outboard Twin				●	●
Suzuki 250hp Outboard			●	●	●
Suzuki 250hp Outboard Twin				●	●
Suzuki 300hp Outboard				●	●
Suzuki 300hp Outboard Twin					●



Standard Features

Aluminum 5058 alloy .25 inch (6.25 mm) bottom	Hydraulic steering
Aluminum 5052 alloy .187 inch (4.75 mm) sides	Two person pilot lean seat
Wide welded gunwales	Master battery switch
Self bailing deck	Zinc anode protection
Dual bow eye and transom tie downs	Complete guage pack
Below deck, built in aluminum fuel tank	Binnacle control box
Water separation fuel filter	Automatic bilge pump
Welded deck cleats	Breaker circuit panel
Console with lower cabinet	12 volt system
Compass	Navigation lights

Available Options (Final Design May Vary)



Console with Windshield



3/4 Wheelhouse



Fully Enclosed Wheelhouse



Console with Windshield and
Grab Handles



Console T-Top



"D" Bumper Rub Rails




Davit (Manual or Electric)



Non-Skid Deck Paint



Forward Deck Flood Lamps



Deck Courtesy Lighting



Forward Docking Lamps



Gunwale Railing


Available Options (continued)



Rear Work Lamps



Anti-Foul Hull Paint



Push Knees
(Can be outfitted with boom poles)



Stern Guard with Step Plate



Lower Deck Railing



Accessories Arch



Bimini Top



BBP-031
7/13/15